



ANTI-STATIC SURFACE CLEANER IN AEROSOL CAN

DESCRIPTION: **Anti-Static Surface Cleaner** is a special degreaser designed for plastic and fiberglass parts. Anti-Static Surface Cleaner also removes the static charge from raw plastic parts and fiberglass. This product is too aggressive for lacquers but can be used on non-reversible existing finishes. Always check the reversibility of the substrate before degreasing with this product.

PREPARATION FOR FLEXIBLE PLASTICS:

As the refinishing of flexible plastic parts requires the highest consideration from the technician, it is necessary to assess the plastic part that is being refinished. Please refer to the Technical Data Sheet: "Test Methods for Plastic Identification" to determine the type of plastic that is to be refinished. The technician should address the situation by using those guidelines.

Always wear gloves when degreasing. This will accomplish two things:

- a) Reduce the risk of solvent being absorbed into your hands.
- b) Prevent salts and oils on your hands from contaminating the surface to be refinished.

NOTE: Solvent based cleaners may not be legal for use in some VOC regulated areas. Always check local regulations.

CLEANING TECHNIQUE:

First, have two clean towels available. With the aerosol can, apply a wet layer of Anti-Static surface Cleaner (sheet the panel under treatment). Wipe the surface with the first towel to loosen the mold release agent contaminant. Immediately, wipe dry with the second, clean towel. Always use two towels as one towel will merely shift rather than remove the possible contaminants. On some plastic parts you may have to repeat this process making sure the plastic is thoroughly clean.

AFTER TREATMENT:

As raw, unpainted plastics will absorb the solvent from Anti-Static Surface Cleaner. It is important that the plastic part be allowed to "dry out" (evaporate) for 20 to 30 minutes after the application of surface cleaner.

NOTE: Replace cloths being used for degreasing and cleaning regularly by clean ones. Always place used degreasing rags in a sealed container that meets local requirements to avoid the risk of a spontaneous combustion fire.

STOCK KEEPING:

CONTAINER SIZE:

Anti-Static Surface Cleaner: 14-ounce net weight (397 grams) aerosol can

SHELF LIFE:

Two years if stored in original container at room temperature.



ANTI-STATIC SURFACE CLEANER IN AEROSOL SPRAY CAN

SAFETY ASPECTS:

READY TO SPRAY VOC

(AEROSOL CANS): Anti-Static Surface Cleaner 5.7 lb/gal 685 grams/liter

NOTICE:

Do not handle until the Material Safety Data Sheets have been read and understood. Regulations require that all employees be trained on Material Safety Data Sheets for all chemicals with which they come in contact. The manufacturer recommends the use of an organic vapor respirator or air supplied respirator when exposed to vapors or spray mist.

Aerosol Cans:

Keep containers tightly closed. Isolate from heat, sparks and open flame. Closed containers may explode when exposed to extreme heat. Contents under pressure. Do not use or store near sources of heat, sparks or open flame. Keep away from any source of heat such as sunlight, heaters or stoves that could cause the container to burst. Do not puncture or incinerate. Do not crush or place in a garbage compactor. Do not store above 120 degrees Fahrenheit/49 degrees Celsius. Aerosol containers may explode when exposed to extreme heat.